Index

Symbols and Numerics

{} (braces), 29
: (colon), 99
- (dash), 29
- (minus), 100
( ) (parentheses), 29
+ (plus), 100
; (semicolon), 29
[] (square brackets), 330
_ (underscore), 95
4:3, 17–18

• A •

About panel, 347–354
`AboutStockMarketerController` class, 351–352, 355
accessing Mac App Store review guidelines, 37
active window, 149
Activity Viewer, 51
adding
  application icons to apps, 340–343
  file icons to apps, 343–347
  functionality to menu actions, 139–141
  items to app windows, 126–129
  `NSLog` messages to display, 330
  Preferences window, 167–176
  references to `BasicPrintView` objects, 291–292
  sliders, 142
  XIB file, 170–171
Address Book (Objects Library), 129
Address Book app, 12, 13
`AddressBook` framework, 111
addresses (memory), 55
Adobe Photoshop Elements (website), 23
`AdoptiveClass` class, 101–102
advanced views
  about, 177–178
  animating views, 201–205
  Apple's component collection, 178–179
  Cocoa views, 179–187
  creating custom views, 187–189
  drawing, 189–201
all variables, 312
`alloc` method, 97, 100, 105, 355, 362
Amazon (website), 24
analyzing user data, 209–210
ancestor class, 88
animating views, 201–205
`AnimationView` class, 202–205
animator, 205
app data free trade agreement, 244–245
App Store (Apple)
  about, 10–11
  app, 14
  becoming a seller in, 38
  icons requirements for, 339
`AppKit.framework` framework, 110
Apple
  components, 178–179
  documentation, 379–380
  sample apps, 369–375
Apple App Store. *See* App Store (Apple)
Apple Developer Forum, 380
Apple Macintosh, buying, 19–21
Apple Worldwide Developer Conference (WWDC), 386
Apple's GarageBand, 23
Apple's Human Interface guidelines (website), 128
Apple's TextEdit app, 150
application archive, 81–82
application icon, 23, 337–343

COPYRIGHTED MATERIAL

applications (apps). *See also* debugging
about, 9–10
adding application icons, 340–343
adding items to windows, 126–129
Address Book, 12, 13
Apple sample, 369–375
archiving, 81–82
building, 19
built-in, 12–14
`ButtonMadness`, 372
categories, 118
choosing templates, 118
connections, 119–120
creating new projects, 42–49
creating with Xcode, 41–61
`CustomMenus`, 372
defined, 252
development challenges, 33–36
DictionaryController, 374
editing menus, 134–135
executing, 19–20
`ForDummiesImages`, 276–282
frameworks of, 56
full screen, 34
getting started with developing, 36–38
iCal, 12
`IconCollection`, 373
`ImageTransition`, 374–375
iTunes, 12
language, 24
life cycle, 11, 112–114
localizing, 362–366
Mail, 12
memory, 354–362
menubar, 67
menus, 134–135
`NSTableViewBinding`, 373
Objective-C programming for, 26–31
`PictureSharing`, 373
products of, 56
programming skills for developing, 25–33
reasons for developing, 10–11
Safari, 12, 13
`SimpleCocoaApp`, 372
single window, 118
slowing down, 221–222
source files, 56
Squiggles, 374
tip calculator, 63–82
`ToolbarSample`, 371
tools for developing, 19–24
types, 42
updating, 385–386
users, 11–18
using Model-View-Controller (MVC) pattern in, 154–167
what to create, 37–38
Xcode visual details, 49–61
Aqua, 34
architectural pattern, 147
Architectures setting, 375
Archives organizer, 61
archiving, 81–82, 213
Assistant editor, 51
Attributes inspector (Inspector pane), 124, 131
audio editor, 23
Auto Save, 34
auto variables, 312
`autorelease` method, 106, 108, 362, 378
AV Foundation, 34

• B •

Back button, 58
background, working in
about, 251
scheduling events with threads, 260–282
thread basics, 252–260
background process, loading data as, 221
backup software, 24
Base SDK setting, 375
`BasicPrintAppAppDelegate`, 289–290
`BasicPrintView` object, 290–293
Beziér curves, 191–196
`bezierPathWithOvalInRect:` method, 192
`bezierPathWithRect:` method, 192
`bezierPathWithRoundedRect:` method, 192
Binary format, 239
binding, 124
Bindings inspector (Inspector pane), 124
BlackBerry Application Development For Dummies (Kowalski), 362
braces ({}), 29
brainstorming, 37–38
Breakpoint navigator, 55

Breakpoint State button, 51
breakpoints
  defined, 51
  setting, deleting, and disabling in Xcode Debugger, 313–318
Bugzilla, 334, 336
Build Configuration setting, 53
building apps, 19
built-in apps, 12–14
ButtonMadness app, 372
buttons
  about, 14
  Back, 58
  Breakpoint State, 51
  Forward, 58
  Organizer, 52
  Run, 50
  selector, 55–56
  Stop, 51

• C •

calculateTip: method, 74, 78, 79, 324
CalendarStore framework, 111
'call me when you're done' operation, 253
calling methods, 98–99
CarView class, 94
@catch statement, 282
child class, 88
child subview, 180
choosing templates for apps, 118
class convenience method, 98
class declaration, 90
class methods, 100
classes. *See also objects*
  AboutStockMarketerController, 351–352, 355
  AdoptiveClass, 101–102
  ancestor, 88
  AnimationView, 202–205
  CarView, 94
  child, 88
  Controller, 152, 160–167, 371
  data, 27, 28, 211–217
  defined, 88
  DPData, 214, 216–218, 219, 220, 248
  Model, 152, 154–158
  Note, 27, 29, 30
  NSArray, 218, 219, 243
  NSBezierPath, 190–196
  NSBox, 180
  NSButton, 180
  NSCancelButton, 290
  NSCheckBox, 180
  NSColor, 184–187, 190
  NSColorWell, 168
  NSCompositeCopy, 201
  NSControl, 180, 381
  NSDrawer, 149
  NSImage, 199–201
  NSKeyedArchiver, 219, 220
  NSKeyedUnarchiver, 220
  NSNotification, 33
  NSNotificationCenter, 32, 33
  NSObject, 29, 30, 88, 90, 97, 100, 212, 267, 381
  NSPageLayout, 284
  NSPanel, 149
  NSPrintInfo, 284, 285, 289–290
  NSPrintOperation, 284, 285, 290–293, 297
  NSPrintPanel, 284
  NSString, 96, 98, 106–108, 197, 213–218, 243, 248, 328–330, 378
  NSTableView, 370, 373
  NSTask, 252–253
  NSTextField, 180, 381
  NSTextView, 381
  NSThread, 253, 256–257, 275–282
  NSTimer, 252, 268–275
  NSUserDefaults, 240–241, 243
  NSView, 94, 179, 180, 181, 189, 196, 205, 284, 296, 302
  NSXMLDocument, 276
  NSXMLElement, 276, 282
  NSXMLNode, 276
  @optional, 102
  PagedDoc, 297
  parent, 26, 381
  StockAccount, 154–158
  VerySimpleClass, 91–92, 96
  View, 27, 152, 159–160
Cocoa
  Objects Library, 129
  printing user data with, 283–286
  views, 179–187
Cocoa Application, 42
Cocoa Builder (website), 380

Cocoa Dev (website), 380
Cocoa Dev Central (website), 380
Cocoa frameworks
  about, 109–112
  defined, 1
  groups, 130
Cocoa Is My Girlfriend (blog), 381
Cocoa.framework framework, 110
code
  editing, 19
  interactiveness of, 141–142
code samples
  adding NSLog messages to displays, 330
  adding references to BasicPrintView objects, 291–292
  adding sliders to change text transparency, 142
  App Delegate header file, 288–289
  collapsing two retrieval methods into one method, 326
  ColorizedView.h header file, 268–269
  ColorizedView.m source module, 269–270
  CoreDataDiabeticPadDoc.h with an NSArrayControllerObject reference, 234
  CoreDataDiabeticPadDoc.m using its NSArrayControllerObject reference, 234–236
  creating red borders around custom view, 191
  data class header file, 27
  data class implementation, 28
  difference between methods with and without locks, 259
  document supports multi-page printing with virtual view, 300–302
  DPData.h file, 213
  DPData.m, 214–216
  drawing family car with Cocoa, 192–194
  ForDummiesImagesAppDelegate.h header file, 278
  format of NSLog function, 328
  functional menu methods, 137
  header file for AboutStockMarketerController class, 351
  header file for view to be printed, 298
  header file OneTimeEventAppDelegate.h, 263
  IBAction method signature, 78
  implementating code for StockAccount.m, 157–158
  implementating scheduling of single events, 264–265
  implementation for view to be printed, 298–300
  implementating AnimationView, 203–204
  implementating App Delegate code, 289
  implementating of code to download images from Dummies website, 279–281
  implementating PreferencesController, 169–170
  implementating showPreferences: method to display Preferences window, 172–173
  implementating VerySimpleClass, 91–92
  implementing code for ColorizeTimerAppDelegate, 273–275
  implementing code to modify text transparency, 142–143
  implementing print code, 292–293
  LeakerAppDelegate header file, 360, 361
  LongDurationActivity class uses NSThread, 257
  maintaining reference to PreferencesController, 171–172
  Matrix-multiplication method, 30
  member variables to reference labels, 140
  method to be called by menu items, 136
  methods and member variables of AnimationView class, 202
  methods exercising retain, release, and autorelease, 106
  missing methods, 325
  modifications for SimpleCocoaWindowAppAppDelegate.h, 65
  modifications for SimpleCocoaWindowAppAppDelegate.m, 66
  modifications to StockMarketerAppDelegate header file, 352–353

modified, warning-free `calculateTip:` method, 324
modified source module `SimpleCocoaWindowAppAppDelegate.m`, 317
modifying `displayText` method to receive parameters, 266
modifying `scheduleEvent` method to pass parameters to `displayText`, 267
`MyDocument` method, 246–250
`newObject:` method, 237–238
non-uniform two-dimensional shapes drawn as series of points, 195–196
`NSNotification`, 33
`NSNotificationCenter`, 33
Objective-C class header file, 89
`PreferencesController` object manages an `NSColorWell`, 168
responding to menu items by changing text color, 140–141
`SimpleCocoaWindowAppAppDelegate.h`, 316
source code for app delegate, 166
source code for `Controller`, 163–165
source model for `AboutStockMarketerController` class, 351–352
`StockAccountController.h`, 162
`StockAccount.h`, 156–157
`StockMarketerAppDelegate.h` file's contents, 165–166
storing and retrieving optional preferences of DiabeticPad users, 241–242
updated `ColorizeTimerAppDelegate.h`, 272–273
updated `StockMarketerAppDelegate` source module, 353–354
using preprocessors macros to conditionally include/exclude code, 333
colon (:), 99
`ColorizedView.h` header file, 268–269
`ColorizedView.m` source module, 269–270
`ColorizeTimerAppDelegate`, 272–275
colors, 184–187
Comma Separated Values (CSV), 245
comment lines, 29
Company Identifier, 44
compiler directive, 90
components
Apple, 178–179
Interface Builder, 121–146
conditional breakpoints, 326–328
Connections inspector (Inspector pane), 124
Console pane (Xcode Debugger), 312
`Controller` class, 152, 160–167, 371
Controls (Cocoa Framework), 130
convenience colors, 184–185
convenience methods, 98, 107
conventions, explained, 2
Core Animation, 201–205
Core Data, 221–239
`CoreAudio` framework, 111
CoreData Editor, 40
`CoreDataDiabeticalPad.h`, 234
`CoreDataDiabeticalPad.m`, 234–236
`CoreData.framework` framework, 110
creating
About panel, 347–354
CoreDataDiabeticPad user interface, 227–236
custom views, 187–189
data classes, 211–217
delegate objects, 104–105
DiabeticPad logbook record, 225–226
Macintosh Applications with Xcode, 41–61
objects, 97–98
projects, 42–49
red borders around custom view, 191
stub methods, 137–139
tip calculators, 63–82
`View` component in apps, 159–160
CSV (Comma Separated Values), 245
Custom Objects (Objects Library), 129
custom views, 187–189
`CustomMenus` app, 372

D

dash (-), 29
data (user), maintaining
analyzing data, 209–210
storing data, 210–239
user preferences, 239–250

data (user), printing
about, 283
with Cocoa, 283–286
printing pages, 290–293
printing straight to PDF, 294–295
printing with multiple pages, 295–302
setting up pages, 286–290
data classes, 27, 28, 211–217
Data Views (Cocoa Framework), 130
database, 222
dataWithContentsOfFile: method, 107
deadlocks, 260
dealloc method, 93, 95, 107, 108
Debug area (Xcode Debugger), 310–312
Debug bar (Xcode Debugger), 311–312
Debug navigator, 55
debugging
about, 25, 31, 305–306
apps, 19–20
errors, 306–309
Macintosh Logger, 328–333
NSLog, 331
tracking bugs, 333–336
Xcode's Debugger, 309–328
declaration, 88
defaultCenter method, 32
#define statements, 90
definition, 88
delegate objects, creating, 104–105
delegates, 102–105
deleting
breakpoints in Xcode Debugger, 313–318
NSLog statements, 331–333
description method, 330
Destination setting, 53
development. *See also specific topics*
challenges, 33–36
tips, 377–386
device-dependent colors, 185–187
device-independent (calibrated) color, 185
Devices organizer, 60
DictionaryController app, 374
dirtyRect parameter, 190
disabling breakpoints in Xcode Debugger, 313–318
DiscRecorder (Objects Library), 129
displaying warning messages, 308–309
displayText method, 266, 267
Dock, 67
Dock pane (Interface Builder), 122–123
documentation (Apple), 379–380
Documentation organizer, 61
document-based apps, 118
document-based Cocoa Application, 42
Domain of the Bored (blog), 381
downloadImages: method, 282
downloading software, 21–24
DPData class, 214, 216–218, 219, 220, 248
DPData.h file, 213
drawers, 149
drawing
about, 189–191
advanced views, 189–201
with Beziér curves, 191–196
colors, 184–187
images, 199–201
points, 182–183
rectangles, 183–184
on the screen, 181–187
text, 196–199
drawInRect: method, 200–201
drawRect: method, 94, 181, 186–187, 189–194, 200–201, 285, 293
DVDPlayback framework, 111
dynamic language, 25
dynamic typing, 317–318

• E •

Edit menu, 133
editing
app menus, 134–135
code, 19
visual interface, 19
editor area (Xcode project window), 50, 56–59
Editor Canvas pane (Interface Builder), 123
Editor Selector, 51–52
enabling
menu items, 135–136
Page Setup menu, 286–288
encodeWithCoder method, 214
@end statement, 30, 90, 93
entity, 225
errors, 306–309
events, scheduling with threads, 260–282

executing
  apps, 19–20
  scheduled one-time events, 261–267
exporting data, 244–248

• F •

fields, 222
File Coordination, 34
file extension, 344
file icons, 337–338, 343–347
File inspector (Inspector pane), 124
File menu, 132
files. *See also specific files*
  `DPData.h`, 213
  header, 88
  Project Location of, 58
  source, 27, 56, 88
  storing data in, 218–222
  XIB, 121–122, 170–171
`fill` method, 192
`fillRect:` method, 191
Finder app, 14
'fire and forget' operation, 253
`ForDummiesImages` app, 276–282
`ForDummiesImagesAppDelegate.h` header file, 278
Format menu, 133
Forward button, 58
`Foundation.framework` framework, 110
4:3, 17–18
`fraction:` parameter, 201
Framework (Objects Library), 129
frameworks, Cocoa
  about, 1, 109–112, 130
  `AddressBook`, 111
  `AppKit.framework`, 110
  of apps, 56
  `CalendarStore`, 111
  `Cocoa.framework`, 110
  `CoreAudio`, 111
  `CoreData.framework`, 110
  defined, 1
  `DVDPlayback`, 111
  `Foundation.framework`, 110
  `IOKit`, 111
  `OpenGL`, 112
  `WebKit`, 112
`fromRect:` parameter, 200–201
full screen apps, 34
functions. *See specific functions*

• G •

GarageBand (Apple), 23
garbage collection, 105
`gdb` built-in debugger, 305. *See also* debugging
gestures, 16, 384
`getStringValue` method, 107
getter methods, 92, 93, 97
GIMP (GNU Image Manipulation Program), 23
Goldstein, Neal (author)
  iPhone Application Development For Dummies, 3rd Edition, 60
  Objective-C For Dummies, 3, 26
graphical user interface (GUI), 11–12, 14
graphics pen, 186
Graphing View, 179

• H •

hardware operations, 254
header, 27
header files, 88. *See also specific header files*
heavy calculation operations, 256
Help menu, 133
HUD window, 149
Human Interface guidelines (Apple), 128

• I •

`IBAction` method, 77, 78, 120, 135
`IBOutlet` qualifier, 77, 120
iCal app, 12
iCloud, 24
`IconCollection` app, 373
icons
  about, 14
  application, 337–343
  file, 337–338, 343–347
  requirements for App Store, 339
icons (book), explained, 5
IDE (integrated development environment), 39
identifying common bug solutions, 334–336

Identity Inspector (Inspector pane), 124
image editors, 23
Image Kit (Objects Library), 129
images, drawing, 199–201
ImageTransition app, 374–375
iMovie, 24
@implementation statement, 30, 93
implementing
  an array controller class in Xcode, 236–239
  code for ColorizeTimerAppDelegate, 273–275
  code for scheduling single events, 264–265
  code for StockAccount.m, 157–158
  code for view to be printed, 298–300
  code samples of AnimationView, 203–204
  code samples of App Delegate code, 289
  code samples of PreferencesController, 169–170
  code samples to download images from Dummies website, 279–281
  code to modify text transparency, 142–143
  Controller in apps, 160–167
  print code, 292–293
  showPreferences: method to display Preferences window, 172–173
  VerySimpleClass, 91–92
#import statements, 29, 47–48, 90, 92
importing data, 248–250
inactive window, 149
#include statements, 29, 90
incrementWithLock method, 258, 259
incrementWithoutLock method, 258, 259
initialize method, 30, 32, 93, 94, 242, 335
initWithCoder method, 214
Inspector pane (Interface Builder), 123, 124–125
inspectors, 130–132
installing Xcode, 21
instance objects, 67, 93
Instruments
  about, 23
  tracking down memory leaks with, 356–359
integers, 186
integrated development environment (IDE), 39
interactiveness of code, 141–142
Interface Builder
  about, 23, 40, 117–118
  app category choices, 118–120
  components, 121–146
  guidelines, 382–383
  inspectors, 130–132
  modifying menus, 132–143
  Object Library, 125–130
  panes, 122–123
  sizing windows, 143–146
@interface statement, 29, 90
IOKit framework, 111
iPhone Application Development For Dummies, 3rd Edition (Goldstein), 60
Issue navigator, 55
iTunes app, 12

• K •

key window, 150
keyboard, 15, 16–17
keyboard shortcuts, 383–384
key-combinations, 17
knowsPageRange: (NSRangePointer) inRange method, 296
Kowalski, Karl (author)
  BlackBerry Application Development For Dummies, 362
  contact information, 5

• L •

language, 24
Language Translator Dashboard widget, 363
Layout Views (Cocoa Framework), 130
LeakerAppDelegate header file, 360–361
Library pane (Interface Builder), 123
life cycle (app), 11, 112–114
LLDB debugger, 305. *See also* debugging
LLVM (Low Level Virtual Machine), 40
local variables, 312, 355
localizing apps, 362–366
Log navigator, 55
LongDurationActivity, 256–257
Low Level Virtual Machine (LLVM), 40

• M •

Mac App Store review guidelines, accessing, 37
Mac apps. *See* applications (apps)
Mac OS developers, becoming, 38
machine architecture, 374–375
Macintosh (Apple), buying, 19–21
Macintosh App Build Tool, 40
Macintosh Developer downloads, 41
Macintosh Logger, 328–333
MacTech (website), 380
Magic Mouse, 34
Magic Trackpad, 16, 34
Mail app, 12
`main` function, 94, 112–114
main window, 150
maintaining
  information with Core Data, 221
  memory, 105–109
  references to `PreferencesController`, 171–172
  user data, 209–250
  user preferences, 239–250
managed object context, 232–233
managing
  information with Core Data, 221
  memory, 105–109
  references to `PreferencesController`, 171–172
  user data, 209–250
  user preferences, 239–250
`Matrix` object, 29
Matrix-multiplication method, 30
`m_count` variable, 258–259
member variables
  about, 26, 88–90, 95–96
  `NSInteger`, 96, 290
  `NSWindow's_contentView`, 180
  pointers, 30, 96
  protection of, 96–97
memory
  of apps, 354–362
  managing, 105–109
  tracking, 378–379
memory addresses, 55
memory leaks, 23
menubar (app), 67
menus
  app, 134–135
  Edit, 133
  editing, 134–135
  enabling items, 135–136
  File, 132
  Format, 133
  Help, 133
  modifying, 132–143
  Page Setup, 286–288
  Related Items, 58, 59
  Scheme drop-down, 51
  Symbol drop-down, 58, 59
  UISimple, 132
  View, 133
  Window, 133
method signature, 77
methods
  about, 29, 90, 98–100
  `alloc`, 97, 100, 105, 355, 362
  `autorelease`, 106, 108, 362, 378
  `bezierPathWithOvalInRect:`, 192
  `bezierPathWithRect:`, 192
  `bezierPathWithRoundedRect:`, 192
  `calculateTip:`, 74, 78, 324
  calling, 98–99
  class convenience, 98
  collapsing two to one, 326
  convenience, 98
  `dataWithContentsOfFile:`, 107
  `dealloc`, 93, 95, 107, 108
  `defaultCenter`, 32
  defined, 26
  `description`, 330
  `displayText`, 266, 267
  `downloadImages:`, 282
  `drawInRect:`, 200–201
  `drawRect:`, 94, 181, 186–187, 189–194, 200–201, 285, 293
  `encodeWithCoder`, 214
  `fill`, 192
  `fillRect:`, 191
  `getStringValue`, 107
  getter, 92, 93, 97
  `IBAction`, 77, 78, 120, 135
  `incrementWithLock`, 258, 259
  `incrementWithoutLock`, 258, 259
  `initialize`, 30, 32, 93, 94, 242, 335

methods *(continued)*
initWithCoder, 214
knowsPageRange: (NSRangePointer) inRange, 296
locks, 259
methodToCallOnNotify, 32
MyDocument, 246–250
newObject:, 237–238
Objective-C programming, 98–100
overriding, 94
pageSetup:, 289–290
printOperationWithSettings: error:, 297
protocol, 102
rectForPage: (init) inPageNumber, 296
release, 106, 107, 108, 362, 378
resetLabel, 266
retain, 105, 106, 107, 108, 355, 362, 378
runModalWithPrintInfo:, 290
scheduleEvent, 265, 267
setNeedsDisplay:, 190
setString:, 381
setStringValue:, 107, 381
setter, 92, 93, 97
showPreferences:, 172–173
storeUserPreferences, 242
stringWithContentsOfFile:, 98
stringWithContentsOfUrl:, 98
stringWithFormat:, 98
stringWithString:, 106, 107
stroke, 192
strokeLineFromPoint:, 191
strokeRect:, 190, 191
stub, 137–139
windowDidLoad:, 174
windowWillClose:, 174
methodToCallOnNotify method, 32
microphone, 15
minus (-), 100
Model class, 152, 154–158
Model-View-Controller (MVC) pattern
about, 25, 147, 151
object types, 152
using bindings to support, 124
using in apps, 154–167
modifying
displayText method, 266
menus, 132–143
scheduleEvent method, 267
Movie View, 179
Mozy (website), 24
multiple screens, 17–18
multi-touch gestures, 16
Multi-Touch Gestures and Animations, 34
MVC pattern. *See* Model-View-Controller (MVC) pattern
MyDocument method, 246–250
MySQL, 336

• N •

named color, 185
navigating Debug area in Xcode Debugger, 310–312
network operations, 255
newObject: method, 237–238
Nokia, 24
Non-uniform Geometric Shapes, 179
Note class, 27, 29, 30
notifications, 174–176
NotifyObserver, 32
NSAnimationDelegate object, 103
NSApplication object, 94
NSApplicationDelegate object, 103
NSApplicationMain function, 94, 113
NSArray class, 218, 219, 243
NSArrayController object, 124, 234–239, 373
NSBezierPath class, 190–196
NSBox class, 180
NSButton class, 180
NSCancelButton class, 290
NSCheckBox class, 180
NSCoder object, 218, 219
NSCoding protocol, 213–214, 218, 243
NSCollectionView, 373
NSColor class, 184–187, 190
NSColorWell class, 168
NSCompositeCopy class, 201
NSControl class, 180, 381
NSData object, 107, 220, 243

NSDate object, 36, 217, 243
NSDateFormatter object, 36
NSDictionary objects, 198, 243, 374
NSDictionaryController object, 374
NSDrawer class, 149
NSImage class, 199–201
NSImageDelegate object, 103
NSImageView, 205
NSInteger member variable, 96, 290
NSKeyedArchiver class, 219, 220
NSKeyedUnarchiver class, 220
NSLog function, 328–333
NSMutableArray, 217
NSMutableData object, 247–248
NSMutableDictionary parameter, 198, 373, 374
NSNotification class, 33
NSNotificationCenter class, 32, 33
NSNumber objects, 243
NSObject class, 29, 30, 88, 90, 97, 100, 212, 267, 381
NSOKButton, 290
NSPageLayout class, 284
NSPanel class, 149
NSPoint object, 182–183, 197
NSPrintInfo class, 284, 285, 289–290
NSPrintOperation class, 284, 285, 290–293, 297
NSPrintPanel class, 284
NSRect structure, 183–184, 190
NSSize structure, 183–184
NSSortDescriptor, 373
NSStream objects, 373
NSString class, 96, 98, 106–108, 197, 213–218, 243, 248, 328–330, 378
NSTableView class, 370, 373
NSTableViewBinding app, 373
NSTableViewDelegate object, 103
NSTabView, 180
NSTask class, 252–253
NSText, 381
NSTextField class, 180, 381
NSTextView subclass, 381
NSThread class, 253, 256–257, 275–282
NSTimer class, 252, 268–275
NSToolbar, 371
NSUInteger, 217
NSURL objects, 243
NSUserDefaults class, 240–241, 243
NSView class, 94, 179, 180, 181, 189, 196, 205, 284, 296, 302
NSWindow object, 148–151, 179, 180
NSWindowDelegate object, 103
NSWindow's_contentView member variable, 180
NSXMLDocument class, 276
NSXMLElement class, 276, 282
NSXMLNode class, 276
NSZeroRect parameter, 200–201

• O •

Object Library, 125–130
Objective-C
  about, 24
  classes, 88–89
  code files, 27–31
  defined, 1
  memory functions, 378
Objective-C For Dummies (Goldstein), 3, 26
Objective-C programming
  about, 25, 87–93
  creating objects, 97–98
  delegates, 102–105
  for Mac apps, 26–31
  managing memory, 105–109
  member variables, 26, 30, 88–90, 95–97
  methods, 98–100
  objects, 93–95
  protocols, 100–102
object-oriented language, 25
object-oriented programming, 26
objects. *See also* classes
  about, 79, 93–95
  AboutStockMarketController, 355
  BasicPrintView, 290–293
  creating, 97–98
  instance, 67, 93
  Matrix, 29
  NSAnimationDelegate, 103
  NSApplication, 94

NSApplicationDelegate, 103
NSCoder, 218, 219
NSData, 107, 220, 243
NSDate, 36, 217, 243
NSDateFormatter, 36
NSDictionary, 198, 243, 374
NSDictionaryController, 374
NSImageDelegate, 103
NSMutableData, 247–248
NSNumber, 243
NSPoint, 182–183, 197
NSStream, 373
NSTableViewDelegate, 103
NSURL, 243
NSWindow, 148–151, 179, 180
NSWindowDelegate, 103
Objective-C programming, 93–95
PreferencesController, 168–172, 354
proxy, 67
super, 94, 95
Objects & Controllers (Cocoa Framework), 130
Observer, 32–33
off-screen, 18
OneTimeEventAppDelegate.h, 263
online resources, 380–381
OpenGL framework, 112
opening windows, 148–151
operation: parameter, 200–201
@optional class, 102
Organizer button, 52
Organizer window, 59–61
OS X version, targeting, 34–35
OSAKit (Objects Library), 129
Overlay Scrollbars, 34
overriding methods, 94

• p •

Package, 80
Page Setup menu, enabling, 286–288
PagedDoc class, 297
pages
printing, 290–293, 295–302
setting up to print, 286–290
pageSetup: method, 289–290
panel, 149
parameters
dirtyRect, 190
fraction:, 201
fromRect:, 200–201
NSMutableDictionary, 198, 373, 374
NSZeroRect, 200–201
operation:, 200–201
withAttributes:, 198
Workbenchview, 189, 190
parent class, 26, 381
parent view, 180
parentheses (), 29
path, 191
PD (pointing device), 14, 15–16
PDF, printing straight to, 294–295
PDFKit (Objects Library), 129
Photoshop Elements (Adobe), 23
PictureSharing app, 373
plus (+), 100
pointers, 30, 96, 94
pointing device (PD), 14, 15–16
points, 182–183
preferences
defined, 83
setting Xcode to preferred, 83–86
Preferences window, 167–176
PreferencesController object, 168–172, 354
prefix header, 47
primitive data, 79
printing user data
about, 283
with Cocoa, 283–286
printing pages, 290–293
printing straight to PDF, 294–295
printing with multiple pages, 295–302
setting up pages, 286–290
printOperationWithSettings:erro r: method, 297
@private statement, 90, 97
Privilege Separation, 35
procedural programming, 26
products of apps, 56

programming. *See also* Objective-C programming
defensively, 35–36
procedural, 26
skills, 25–33
Project Location, 58
project navigator
about, 55
Xcode project window, 50
Projects organizer, 60
properties, 92
`@property` statement, 90, 92, 217
`@protected` statement, 97
protecting member variables, 96–97
protocols
about, 100–102
methods, 102
`NSCoding`, 213–214, 218, 243
Objective-C programming, 100–102
proxy objects, 67
pthreads, 253
`@public` statement, 97

• Q •

QTKit (Objects Library), 129
Quartz Composer (Objects Library), 129
Quartz graphics engine, 181–187
Quick Help (Inspector pane), 124

• R •

race condition, 258
record, 222
rectangles, 183–184
`rectForPage: (int) inPageNumber` method, 296
Related Items menu, 58, 59
`release` method, 106, 107, 108, 362, 378
removing
breakpoints in Xcode Debugger, 313–318
`NSLog` statements, 331–333
repeated operations, 255
Repositories organizer, 60
requirements for Development Macintosh, 20
`resetLabel` method, 266
Resume, 34
retain count, 105
`retain` method, 105, 107, 108, 355, 362, 378
retrieving data, 218–222
reusing class files, 383
reverse domain name, 44
RGB value, 186
RGBA value, 186
Run button, 50
`runModalWithPrintInfo:` method, 290

• S •

Safari app, 12, 13
sample apps, 369–375
Sandboxing, 35
scalar values, 31
scheduled operations, 255
`scheduleEvent` method, 265, 267
scheduling events with threads, 260–282
scheme, 51
Scheme drop-down menu, 51
scheme settings, 52–53
screens
drawing on the, 181–187
multiple, 17–18
Search navigator, 55
selector, 100
selector buttons, 55–56
`self`, 94
semicolon (;), 29
sending a message, 26, 98–99
`setNeedsDisplay:` method, 190
`setString:` method, 381
`setStringValue:` method, 107, 381
setter methods, 92, 93, 97
setting(s)
Architecture, 375
Base SDK, 375
breakpoints in Xcode Debugger, 313–318
Build Configuration, 53
conditional breakpoints, 326–328
Destination, 53
scheme, 52–53
Valid Architectures, 375
Xcode to preferred preferences, 83–86, 385

setup
  pages to print, 286–290
  scheduled one-time events, 261–267
Shark, 23
shortcuts (keyboard), 383–384
showPreferences: method, 172–173
SimpleCocoaApp app, 372
SimpleCocoaWindowAppApp Delegate.h, 65, 316
SimpleCocoaWindowAppApp Delegate.m, 66, 317
single window apps, 118
Size inspector (Inspector pane), 124, 144–146, 287
sizing windows, 143–146
skills programming, 25–33
sliders, 142
slowing down apps, 221–222
software
  backup, 24
  design patterns, 25, 151
  downloading, 21–24
  patterns, 32–33
source code control, 51–52
Source Code Editor, 40
source files
  of apps, 56
  defined, 27, 88
Source-Level Debugger, 40
SQLite format, 239
square brackets ([]), 330
Squiggles app, 374
src attribute, 282
Standard editor, 51
statements
  @catch, 282
  #define, 90
  @end, 30, 90, 93
  @implementation, 30, 93
  #import, 29, 47–48, 90, 92
  #include, 29, 90
  @interface, 29, 90
  @private, 90, 97
  @property, 90, 92, 217
  @protected, 97
  @public, 97
  @synthesize, 92, 217
  @try, 282
StockAccount class, 154–158
StockAccountController.h, 162
StockAccount.h, 156–157
StockAccount.m, 157–158
StockMarketer, 154–158
StockMarketerAppDelegate header file, 165–166, 352–354
Stop button, 51
storeUserPreferences method, 242
storing
  data in files, 218–222
  user data, 210–239
stringWithContentsOfFile: method, 98
stringWithContentsOfUrl: method, 98
stringWithFormat: method, 98
stringWithString: method, 106, 107
stroke method, 192
strokeLineFromPoint: method, 191
strokeRect: method, 190, 191
structures. *See specific structures*
stub methods, 137–139
super object, 94, 95
super.self, 94
swipes, 384
Symbol drop-down menu, 58, 59
Symbol navigator, 55
symbols, 58
synchronizing threads, 258–260
@synthesize statement, 92, 217

• T •

table, 222
taps, 384
templates (apps), 118
text
  drawing, 196–199
  transparency, 142
text fields, 14
TextEdit app (Apple), 150
text-entry fields, 14
textured window, 149

TFHpple, 282
Theocacao (blog), 381
this pointer, 94
threads
  about, 252–253
  rules for using, 256–260
  scheduling events with, 260–282
  synchronizing, 258–260
  when to use, 254–256
three-finger swipe, 384
Time Machine, 24
tip calculators, 63–82
toolbar, 50–53
ToolbarSample app, 371
tools
  about, 11, 19
  Apple Macintosh, 19–21
  downloading software, 21–24
  language, 24
  Xcode, 22–23
tracking
  bugs, 333–336
  memory, 378–379
transparency, 142, 186
@try statement, 282
two-finger swipe, 384
two-finger tap, 384

• U •

UI components, 129
UISimple menu, 132
underscore (_), 95
updating apps, 385–386
user data, maintaining
  analyzing data, 209–210
  storing data, 210–239
  user preferences, 239–250
user data, printing
  about, 283
  with Cocoa, 283–286
  printing pages, 290–293
  printing straight to PDF, 294–295
  printing with multiple pages, 295–302
  setting up pages, 286–290
user preferences, maintaining
  about, 239–244
  exporting data, 244–248
  importing data, 248–250
users
  configurations for, 17–18
  interactions with Macs, 14–17

• V •

Valid Architectures setting, 375
Variables pane (Xcode Debugger), 312
Version editor, 51
Versions, 34
VerySimpleClass class, 91–92, 96
video editor, 23
View class, 27, 152, 159–160
View Effects inspector (Inspector pane), 125
View menu, 133
viewing
  code lines that created leaks, 359–362
  intentional errors in Xcode Debugger, 318–320
  items in Objects Library, 125–126
views
  animating, 201–205
  creating custom, 187–189
  defined, 147
  parent, 180
views, advanced
  about, 177–178
  animating views, 201–205
  Apple's component collection, 178–179
  Cocoa views, 179–187
  creating custom views, 187–189
  drawing, 189–201
visual interface, 19

• W •

warning messages, 308–309
WebKit (Objects Library), 129
WebKit framework, 112

websites
  Adobe Photoshop Elements, 23
  Amazon, 24
  Apple Developer Forum, 380
  Apple documentation, 380
  Apple sample apps, 370
  Apple's Human Interface guidelines, 128
  Bugzilla, 334, 336
  Cocoa Builder, 380
  Cocoa Dev, 380
  Cocoa Dev Central, 380
  Cocoa Is My Girlfriend (blog), 381
  Domain of the Bored (blog), 381
  For Dummies series, 275–276
  GIMP, 23
  Macintosh Developer downloads, 41
  MacTech, 380
  Mozy, 24
  MySQL, 336
  Nokia, 24
  Theocacao (blog), 381
  Worldwide Developer Conference (WWDC), 386
widescreen, 17–18
Window menu, 133
window-based Cocoa Application, 42
`windowDidLoad:` method, 174
windows
  about, 149
  active, 149
  adding items to app, 126–129
  drawers, 149
  HUD, 149
  inactive, 149
  key, 150
  main, 150
  opening, 148–151
  Organizer, 59–61
  Preferences, 167–176
  sizing, 143–146
  state of, 149–151
  textured, 149
Windows & Menus (Cocoa Framework), 130
`windowWillClose:` method, 174
`withAttributes:` parameter, 198
`WorkbenchView` parameter, 189, 190
Worldwide Developer Conference (WWDC), 386
WWDC (Apple Worldwide Developer Conference), 386

• X •

Xcode
  about, 39–41
  creating Macintosh applications with, 41–61
  Debugger, 309–328
  defined, 23
  implementing an array controller class in, 236–239
  installing, 21
  setting to preferred preferences, 83–86, 385
  tools, 22–23
  visual details, 49–61
XIB file, 121–122, 170–171
XML format, 239
XPath technology, 282
`xRadius`, 192

• Y •

`yRadius`, 192